

Напряжение В	Мощность кВт	Ток А	Типоразмер	Модель	Интерфейс управления	Тип обратной связи	Заказной код	Прайс Русэлком руб с НДС
220V	0,1	1,3	A	SV-DA200-OR1-2-S0	Standard	Энкодер	11040-00425	55 474
220V	0,1	1,3	A	SV-DA200-OR1-2-N0	EtherCAT	Энкодер	11040-00430	55 910
220V	0,1	1,3	A	SV-DA200-OR1-2-C0	CANoPen	Энкодер	11040-00427	51 979
220V	0,1	1,3	A	SV-DA200-OR1-2-E0-00T0	E-CAM	Энкодер	11040-00426	50 232
220V	0,1	1,3	A	SV-DA200-OR1-2-E0	Pulse type	Энкодер	11040-00429	44 990
220V	0,1	1,3	A	SV-DA200-OR1-2-F0	Profinet	Энкодер	11040-00783	63 773
220V	0,1	1,3	A	SV-DA200-OR1-2-D0	Profidrive	Энкодер	11040-00882	64 646
220V	0,2	1,8	A	SV-DA200-OR2-2-S0	Standard	Энкодер	11040-00275	55 910
220V	0,2	1,8	A	SV-DA200-OR2-2-N0	EtherCAT	Энкодер	11040-00413	56 347
220V	0,2	1,8	A	SV-DA200-OR2-2-C0	CANoPen	Энкодер	11040-00256	51 979
220V	0,2	1,8	A	SV-DA200-OR2-2-E0-00T0	E-CAM	Энкодер	11040-00391	50 669
220V	0,2	1,8	A	SV-DA200-OR2-2-E0	Pulse type	Энкодер	11040-00283	45 427
220V	0,2	1,8	A	SV-DA200-OR2-2-F0	Profinet	Энкодер	11040-00782	68 141
220V	0,2	1,8	A	SV-DA200-OR2-2-D0	Profidrive	Энкодер	11040-00881	69 014
220V	0,4	2,8	A	SV-DA200-OR4-2-S0	Standard	Энкодер	11040-00287	58 968
220V	0,4	2,8	A	SV-DA200-OR4-2-N0	EtherCAT	Энкодер	11040-00412	56 347
220V	0,4	2,8	A	SV-DA200-OR4-2-C0	CANoPen	Энкодер	11040-00261	55 037
220V	0,4	2,8	A	SV-DA200-OR4-2-E0-00T0	E-CAM	Энкодер	11040-00576	53 290
220V	0,4	2,8	A	SV-DA200-OR4-2-E0	Pulse type	Энкодер	11040-00273	48 048
220V	0,4	2,8	A	SV-DA200-OR4-2-F0	Profinet	Энкодер	11040-00780	68 141
220V	0,4	2,8	A	SV-DA200-OR4-2-D0	Profidrive	Энкодер	11040-00886	70 325
220V	0.75	4,5	B	SV-DA200-OR7-2-S0	Standard	Энкодер	11040-00264	60 278
220V	0.75	4,5	B	SV-DA200-OR7-2-N0	EtherCAT	Энкодер	11040-00411	62 462
220V	0.75	4,5	B	SV-DA200-OR7-2-C0	CANoPen	Энкодер	11040-00271	56 347
220V	0.75	4,5	B	SV-DA200-OR7-2-E0-00T0	E-CAM	Энкодер	11040-00577	55 037

220V	0.75	4,5	B	SV-DA200-0R7-2-E0	Pulse type	Энкодер	11040-00274	50 669
220V	0.75	4,5	B	SV-DA200-0R7-2-F0	Profinet	Энкодер	11040-00781	69 888
220V	0.75	4,5	B	SV-DA200-0R7-2-D0	Profidrive	Энкодер	11040-00884	73 382
220V	1,0	5,0	B	SV-DA200-1R0-2-S0	Standard	Энкодер	11040-00276	65 520
220V	1,0	5,0	B	SV-DA200-1R0-2-S7	Standard + Resolver	Резольвер	11040-00499	76 003
220V	1,0	5,0	B	SV-DA200-1R0-2-N0	EtherCAT	Энкодер	11040-00410	65 957
220V	1,0	5,0	B	SV-DA200-1R0-2-C0	CANoPen	Энкодер	11040-00277	64 210
220V	1,0	5,0	B	SV-DA200-1R0-2-E0-00T0	E-CAM	Энкодер	11040-00578	62 462
220V	1,0	5,0	B	SV-DA200-1R0-2-E7	Pulse type + Resolver	Резольвер	11040-00510	68 141
220V	1,0	5,0	B	SV-DA200-1R0-2-E0	Pulse type	Энкодер	11040-00258	56 347
220V	1,0	5,0	B	SV-DA200-1R0-2-F0	Profinet	Энкодер	11040-00779	76 877
220V	1,0	5,0	B	SV-DA200-1R0-2-D0	Profidrive	Энкодер	11040-00877	83 429
220V	1,5	7,6	B	SV-DA200-1R5-2-S0	Standard	Энкодер	11040-00267	79 934
220V	1,5	7,6	B	SV-DA200-1R5-2-S7	Standard + Resolver	Резольвер	11040-00491	88 234
220V	1,5	7,6	B	SV-DA200-1R5-2-N0	EtherCAT	Энкодер	11040-00409	76 440
220V	1,5	7,6	B	SV-DA200-1R5-2-C0	CANoPen	Энкодер	11040-00281	76 003
220V	1,5	7,6	B	SV-DA200-1R5-2-E0-00T0	E-CAM	Энкодер	11040-00579	74 256
220V	1,5	7,6	B	SV-DA200-1R5-2-E7	Pulse type + Resolver	Резольвер	11040-00498	79 934
220V	1,5	7,6	B	SV-DA200-1R5-2-E0	Pulse type	Энкодер	11040-00279	65 083
220V	1,5	7,6	B	SV-DA200-1R5-2-F0	Profinet	Энкодер	11040-00772	84 302
220V	1,5	7,6	B	SV-DA200-1R5-2-D0	Profidrive	Энкодер	11040-00891	89 544
220V	2,0	10,0	D	SV-DA200-2R0-2-S0	Standard	Энкодер	11040-00198	80 808
220V	2,0	10,0	D	SV-DA200-2R0-2-S7	Standard + Resolver	Резольвер	11040-00500	88 670
220V	2,0	10,0	D	SV-DA200-2R0-2-N0	EtherCAT	Энкодер	11040-00414	80 808
220V	2,0	10,0	D	SV-DA200-2R0-2-C0	CANoPen	Энкодер	11040-00269	76 877

220V	2,0	10,0	D	SV-DA200-2R0-2-E0-00T0	E-CAM	Энкодер	11040-00580	75 130
220V	2,0	10,0	D	SV-DA200-2R0-2-E7	Pulse type + Resolver	Резольвер	11040-00511	80 808
220V	2,0	10,0	D	SV-DA200-2R0-2-E0	Pulse type	Энкодер	11040-00259	68 141
220V	2,0	10,0	D	SV-DA200-2R0-2-F0	Profinet	Энкодер	11040-00773	93 912
220V	2,0	10,0	D	SV-DA200-2R0-2-D0	Profidrive	Энкодер	11040-00889	97 406
220V	3,0	13,0	D	SV-DA200-3R0-2-S0	Standard	Энкодер	11040-00197	117 936
220V	3,0	13,0	D	SV-DA200-3R0-2-S7	Standard + Resolver	Резольвер	11040-00490	126 235
220V	3,0	13,0	D	SV-DA200-3R0-2-N0	EtherCAT	Энкодер	11040-00422	118 810
220V	3,0	13,0	D	SV-DA200-3R0-2-C0	CANoPen	Энкодер	11040-00260	114 005
220V	3,0	13,0	D	SV-DA200-3R0-2-E0-00T0	E-CAM	Энкодер	11040-00393	112 258
220V	3,0	13,0	D	SV-DA200-3R0-2-E7	Pulse type + Resolver	Резольвер	11040-00513	117 936
220V	3,0	13,0	D	SV-DA200-3R0-2-E0	Pulse type	Энкодер	11040-00262	103 085
220V	3,0	13,0	D	SV-DA200-3R0-2-F0	Profinet	Энкодер	11040-00774	133 661
220V	3,0	13,0	D	SV-DA200-3R0-2-D0	Profidrive	Энкодер	11040-00878	137 155
220V	4,4	16,5	D	SV-DA200-4R4-2-S0	Standard	Энкодер	11040-00285	139 776
220V	4,4	16,5	D	SV-DA200-4R4-2-S7	Standard + Resolver	Резольвер	11040-00506	148 075
220V	4,4	16,5	D	SV-DA200-4R4-2-N0	EtherCAT	Энкодер	11040-00421	139 339
220V	4,4	16,5	D	SV-DA200-4R4-2-C0	CANoPen	Энкодер	11040-00266	135 845
220V	4,4	16,5	D	SV-DA200-4R4-2-E0-00T0	E-CAM	Энкодер	11040-00392	134 098
220V	4,4	16,5	D	SV-DA200-4R4-2-E7	Pulse type + Resolver	Резольвер	11040-00504	139 776
220V	4,4	16,5	D	SV-DA200-4R4-2-E0	Pulse type	Энкодер	11040-00270	124 051
220V	4,4	16,5	D	SV-DA200-4R4-2-F0	Profinet	Энкодер	11040-00775	139 339
220V	4,4	16,5	D	SV-DA200-4R4-2-D0	Profidrive	Энкодер	11040-00879	144 144
400V	1,0	3,5	B	SV-DA200-1R0-4-S0	Standard	Энкодер	11040-00253	74 256
400V	1,0	3,5	B	SV-DA200-1R0-4-S7	Standard +	Резольвер	11040-00495	82 118

					Resolver			
400V	1,0	3,5	B	SV-DA200-1R0-4-N0	EtherCAT	Энкодер	11040-00420	72 946
400V	1,0	3,5	B	SV-DA200-1R0-4-C0	CANoPen	Энкодер	11040-00254	70 325
400V	1,0	3,5	B	SV-DA200-1R0-4-E0-00T0	E-CAM	Энкодер	11040-00390	68 578
400V	1,0	3,5	B	SV-DA200-1R0-4-E7	Pulse type + Resolver	Резольвер	11040-00516	74 256
400V	1,0	3,5	B	SV-DA200-1R0-4-E0	Pulse type	Энкодер	11040-00248	62 026
400V	1,0	3,5	B	SV-DA200-1R0-4-F0	Profinet	Энкодер	11040-00776	79 498
400V	1,0	3,5	B	SV-DA200-1R0-4-D0	Profidrive	Энкодер	11040-00887	84 302
400V	1,5	4,5	B	SV-DA200-1R5-4-S0	Standard	Энкодер	11040-00247	78 624
400V	1,5	4,5	B	SV-DA200-1R5-4-N0	EtherCAT	Энкодер	11040-00419	76 877
400V	1,5	4,5	B	SV-DA200-1R5-4-C0	CANoPen	Энкодер	11040-00233	74 693
400V	1,5	4,5	B	SV-DA200-1R5-4-E0-00T0	E-CAM	Энкодер	11040-00389	72 946
400V	1,5	4,5	B	SV-DA200-1R5-4-E7	Pulse type + Resolver	Резольвер	11040-00512	78 624
400V	1,5	4,5	B	SV-DA200-1R5-4-E0	Pulse type	Энкодер	11040-00245	65 957
400V	1,5	4,5	B	SV-DA200-1R5-4-F0	Profinet	Энкодер	11040-00777	84 739
400V	1,5	4,5	B	SV-DA200-1R5-4-D0	Profidrive	Энкодер	11040-00883	91 728
400V	2,0	6,5	C	SV-DA200-2R0-4-S0	Standard	Энкодер	11040-00244	88 234
400V	2,0	6,5	C	SV-DA200-2R0-4-N0	EtherCAT	Энкодер	11040-00418	87 797
400V	2,0	6,5	C	SV-DA200-2R0-4-C0	CANoPen	Энкодер	11040-00243	84 302
400V	2,0	6,5	C	SV-DA200-2R0-4-E0-00T0	E-CAM	Энкодер	11040-00388	82 992
400V	2,0	6,5	C	SV-DA200-2R0-4-E7	Pulse type + Resolver	Резольвер	11040-00515	88 234
400V	2,0	6,5	C	SV-DA200-2R0-4-E0	Pulse type	Энкодер	11040-00241	75 130
400V	2,0	6,5	C	SV-DA200-2R0-4-F0	Profinet	Энкодер	11040-00778	98 717
400V	2,0	6,5	C	SV-DA200-2R0-4-D0	Profidrive	Энкодер	11040-00888	105 706
400V	3,0	8,5	C	SV-DA200-3R0-4-S0	Standard	Энкодер	11040-00240	109 637
400V	3,0	8,5	C	SV-DA200-3R0-4-S7	Standard +	Резольвер	11040-00489	117 936

					Resolver			
400V	3,0	8,5	C	SV-DA200-3R0-4-N0	EtherCAT	Энкодер	11040-00417	110 947
400V	3,0	8,5	C	SV-DA200-3R0-4-C0	CANoPen	Энкодер	11040-00235	106 579
400V	3,0	8,5	C	SV-DA200-3R0-4-E0-00T0	E-CAM	Энкодер	11040-00387	104 832
400V	3,0	8,5	C	SV-DA200-3R0-4-E7	Pulse type + Resolver	Резольвер	11040-00518	109 637
400V	3,0	8,5	C	SV-DA200-3R0-4-E0	Pulse type	Энкодер	11040-00238	96 533
400V	3,0	8,5	C	SV-DA200-3R0-4-F0	Profinet	Энкодер	11040-00786	120 557
400V	3,0	8,5	C	SV-DA200-3R0-4-D0	Profidrive	Энкодер	11040-00885	124 051
400V	4,4	12,0	D	SV-DA200-4R4-4-S0	Standard	Энкодер	11040-00078	125 798
400V	4,4	12,0	D	SV-DA200-4R4-4-S7	Standard + Resolver	Резольвер	11040-00509	134 098
400V	4,4	12,0	D	SV-DA200-4R4-4-N0	EtherCAT	Энкодер	11040-00416	126 235
400V	4,4	12,0	D	SV-DA200-4R4-4-C0	CANoPen	Энкодер	11040-00236	122 304
400V	4,4	12,0	D	SV-DA200-4R4-4-E0-00T0	E-CAM	Энкодер	11040-00386	120 557
400V	4,4	12,0	D	SV-DA200-4R4-4-E7	Pulse type + Resolver	Резольвер	11040-00514	126 235
400V	4,4	12,0	D	SV-DA200-4R4-4-E0	Pulse type	Энкодер	11040-00239	110 947
400V	4,4	12,0	D	SV-DA200-4R4-4-F0	Profinet	Энкодер	11040-00787	134 534
400V	4,4	12,0	D	SV-DA200-4R4-4-D0	Profidrive	Энкодер	11040-00890	139 339
400V	5,5	16,0	D	SV-DA200-5R5-4-S0	Standard	Энкодер	11040-00077	136 718
400V	5,5	16,0	D	SV-DA200-5R5-4-S7	Standard + Resolver	Резольвер	11040-00508	145 018
400V	5,5	16,0	D	SV-DA200-5R5-4-N0	EtherCAT	Энкодер	11040-00415	136 282
400V	5,5	16,0	D	SV-DA200-5R5-4-C0	CANoPen	Энкодер	11040-00278	131 914
400V	5,5	16,0	D	SV-DA200-5R5-4-E0-00T0	E-CAM	Энкодер	11040-00423	130 603
400V	5,5	16,0	D	SV-DA200-5R5-4-E7	Pulse type + Resolver	Резольвер	11040-00501	136 718
400V	5,5	16,0	D	SV-DA200-5R5-4-E0	Pulse type	Энкодер	11040-00284	119 683
400V	5,5	16,0	D	SV-DA200-5R5-4-F0	Profinet	Энкодер	11040-00788	152 006

400V	5,5	16,0	D	SV-DA200-5R5-4-D0	Profidrive	Энкодер	11040-00880	159 432
400V	7,5	25,0	F	SV-DA200-7R5-4-N0	EtherCAT	Энкодер	11040-00519	172 099
400V	7,5	25,0	F	SV-DA200-7R5-4-N7	EtherCAT + resolver	Резольвер	11040-00520	191 318
400V	7,5	25,0	F	SV-DA200-7R5-4-S0	Standard	Энкодер	11040-00528	165 110
400V	7,5	25,0	F	SV-DA200-7R5-4-S7	Standard + Resolver	Резольвер	11040-00526	173 846
400V	7,5	25,0	F	SV-DA200-7R5-4-S0-00T0	E-CAM	Энкодер	11040-00666	168 168
400V	7,5	25,0	F	SV-DA200-7R5-4-F0	Profinet	Энкодер	11040-00812	176 904
400V	7,5	25,0	F	SV-DA200-7R5-4-F7	Profinet + resolver	Резольвер	11040-00816	181 709
400V	11,0	33,0	F	SV-DA200-011-4-N0	EtherCAT	Энкодер	11040-00522	207 043
400V	11,0	33,0	F	SV-DA200-011-4-N7	EtherCAT + resolver	Резольвер	11040-00521	228 883
400V	11,0	33,0	F	SV-DA200-011-4-S0	Standard	Энкодер	11040-00527	202 675
400V	11,0	33,0	F	SV-DA200-011-4-S7	Standard + Resolver	Резольвер	11040-00529	211 411
400V	11,0	33,0	F	SV-DA200-011-4-S0-00T0	E-CAM	Энкодер	11040-00669	205 733
400V	11,0	33,0	F	SV-DA200-011-4-F0	Profinet	Энкодер	11040-00811	214 032
400V	11,0	33,0	F	SV-DA200-011-4-F7	Profinet + resolver	Резольвер	11040-00821	225 826
400V	15,0	50,0	F2	SV-DA200-015-4-N0	EtherCAT	Энкодер	11040-00524	300 082
400V	15,0	50,0	F2	SV-DA200-015-4-N7	EtherCAT + resolver	Резольвер	11040-00523	327 600
400V	15,0	50,0	F2	SV-DA200-015-4-S0	Standard	Энкодер	11040-00610	301 392
400V	15,0	50,0	F2	SV-DA200-015-4-S7	Standard + Resolver	Резольвер	11040-00609	310 128
400V	15,0	50,0	F2	SV-DA200-015-4-S0-00T0	E-CAM	Энкодер	11040-00668	304 450
400V	15,0	50,0	F2	SV-DA200-015-4-F0	Profinet	Энкодер	11040-00814	314 933
400V	15,0	50,0	F2	SV-DA200-015-4-F7	Profinet +	Резольвер	11040-00817	321 922

					resolver			
400V	22,0	66,0	G	SV-DA200-022-4-N0	EtherCAT	Энкодер	11040-00612	403 166
400V	22,0	66,0	G	SV-DA200-022-4-N7	EtherCAT + resolver	Резольвер	11040-00611	437 674
400V	22,0	66,0	G	SV-DA200-022-4-S0	Standard	Энкодер	11040-00614	409 718
400V	22,0	66,0	G	SV-DA200-022-4-S7	Standard + Resolver	Резольвер	11040-00613	418 891
400V	22,0	66,0	G	SV-DA200-022-4-S0- 00T0	E-CAM	Энкодер	11040-00667	414 523
400V	22,0	66,0	G	SV-DA200-022-4-F0	Profinet	Энкодер	11040-00810	424 570
400V	22,0	66,0	G	SV-DA200-022-4-F7	Profinet + resolver	Резольвер	11040-00818	432 869
400V	37,0	90,0	G	SV-DA200-037-4-N0	EtherCAT	Энкодер	11040-00707	407 534
400V	37,0	90,0	G	SV-DA200-037-4-N7	EtherCAT + resolver	Резольвер	11040-00706	467 813
400V	37,0	90,0	G	SV-DA200-037-4-S0- 00T0	E-CAM	Энкодер	11040-00710	439 858
400V	37,0	90,0	G	SV-DA200-037-4-S0	Standard	Энкодер	11040-00638	430 685
400V	37,0	90,0	G	SV-DA200-037-4-S7	Standard + Resolver	Резольвер	11040-00639	444 662
400V	37,0	90,0	G	SV-DA200-037-4-F0	Profinet	Энкодер	11040-00809	446 846
400V	37,0	90,0	G	SV-DA200-037-4-F7	Profinet + resolver	Резольвер	11040-00819	456 019
400V	45,0	112,0	G	SV-DA200-045-4-N0	EtherCAT	Энкодер	11040-00713	457 330
400V	45,0	112,0	G	SV-DA200-045-4-N7	EtherCAT + resolver	Резольвер	11040-00714	525 470
400V	45,0	112,0	H	SV-DA200-045-4-S0	Standard	Энкодер	11040-00711	481 354
400V	45,0	112,0	H	SV-DA200-045-4-S7	Standard + Resolver	Резольвер	11040-00712	488 342
400V	45,0	112,0	H	SV-DA200-045-4-F0	Profinet	Энкодер	11040-00815	497 515
400V	45,0	112,0	H	SV-DA200-045-4-F7	Profinet + resolver	Резольвер	11040-00820	507 998

400V	55,0	134,0	H	SV-DA200-055-4-N0	EtherCAT	Энкодер	11040-00720	490 090
400V	55,0	134,0	H	SV-DA200-055-4-N7	EtherCAT + resolver	Резольвер	11040-00721	562 598
400V	55,0	134,0	H	SV-DA200-055-4-S0	Standard	Энкодер	11040-00718	516 298
400V	55,0	134,0	H	SV-DA200-055-4-S7	Standard + Resolver	Резольвер	11040-00719	527 654
400V	55,0	134,0	H	SV-DA200-055-4-S0- 00T0	E-CAM	Энкодер	11040-00724	520 666
400V	55,0	134,0	H	SV-DA200-055-4-F0	Profinet	Энкодер	11040-00813	532 459
400V	55,0	134,0	H	SV-DA200-055-4-F7	Profinet + resolver	Резольвер	11040-00822	543 816